



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/595,914	05/19/2006	Akira Otani	P29987	8957
7055 7590 11/27/2009 GREENBLUM & BERNSTEIN, P.L.C. 1950 ROLAND CLARKE PLACE RESTON, VA 20191				
EXAMINER KRUPICKA, ADAM C				
ART UNIT		PAPER NUMBER		
1794				
NOTIFICATION DATE		DELIVERY MODE		
11/27/2009		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

gbpatent@gbpatent.com
pto@gbpatent.com

Office Action Summary

Application No.

10/595,914

Applicant(s)

OTANI ET AL.

Examiner

Adam C. Krupicka

Art Unit

1794

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 14 July 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 is/are pending in the application.
- 4a) Of the above claim(s) 3-6 and 8 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 2 and 7 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/22)
- 4) ☐ Interview Summary (PTO-413)
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____
- Paper No(s)/Mail Date 08/21/2008

DETAILED ACTION

Election/Restrictions

The amendment, remarks and affidavit filed July 14, 2009 are acknowledged. Claims 1-8 are pending, claims 3-6 and 8 are withdrawn.

Information Disclosure Statement

The documents JP 2002-519473, JP 2895872, JP 2-117980, and JP 3-165477 as listed in applicants' response have been fully considered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 2 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Connell *et al.* (PGPub US 2001/0008169 A1) as evidenced by Kropp *et al.* (US Pat. 5,362,421).

Regarding applicants' claims 1 and 2, Connell *et al.* teach an anisotropic adhesive layer comprising an adhesive composition such as that taught by Kropp *et al.* (*paragraph 0038*). The adhesive composition of Kropp *et al.* comprises an initiator (*considered to be a curing agent*) and a curable thermoplastic resin (*abstract and col. 2 lines 20-46*).

Connell *et al.* also teach conductive gold-coated polymeric spheres (*considered to be metal particles, paragraph 0064*) that are in the same region of thickness within the adhesive layer. This is because the particles are placed into dimples all of about the same depth which corresponds to the average particle size (*paragraph 0046*). When the adhesive is coated thereon it does not penetrate deeper than the dimples forming an adhesive layer on which the conductive particles exist within no more than the depth of an average particle (*paragraph 0050*). Therefore the maximum thickness range the particles can occupy is one particle or 1.0 times the average particle size within the thickness of the adhesive layer.

Further 99.2% of the particles of Connell *et al.* are considered not to contact other particles based on *figure 6(c)* which shows a micrograph of dimples in a single particle embodiment. The micrograph shows 475 dimples, 4 of which contain two particles, or 99.2% contain one particle. Further the example associated with *figure 6(c)* discloses an average particle size of 4.9 μ m, and a spacing of 15 μ m or approximately three times the particle thickness.

Connell *et al.* do not appear to teach a total adhesive layer thickness. However, one of ordinary skill in the art at the time of the invention would have found it obvious to optimize the thickness of the adhesive layer to achieve the ideal adhesive force for an intended use without using too much adhesive as to unnecessarily increase production costs or too much adhesive as to make the layer so thick as to prevent particles from properly contacting opposing electrodes when used in a manner as suggested in *figure 5(c)*. Yet enough adhesive must be applied to hold the particles and to sufficiently adhere articles during an indented use.

Regarding applicants' claim 7, Connell *et al.* teach an anisotropic adhesive sheet as shown above. Regarding the limitation that the film is formed by the process of claim 3, via the bi-axial stretching of a film, it is noted that "[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior art product was made by a different process", *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985).

Further, "the burden shifts to applicant to come forward with evidence establishing an unobvious difference between the claimed product and the prior art product", *In re Marosi*, 710 F.2d 798, 802, 218 USPQ 298, 292 (Fed Cir. 1983). See MPEP 2113.

Therefore, absent evidence of criticality regarding the presently claimed process and given that the anisotropic adhesive sheet meets the requirements of the claimed composition, the anisotropic adhesive sheet of Connell *et al.* clearly meets the requirements of the present claim.

Response to Arguments

The remarks and Affidavit filed July 14, 2009 have been carefully considered but have not been found to be persuasive.

Applicants argue that Connell *et al.* explicitly describes in the preferred embodiment where the desired number of particles per particle site is more than one particle, and that multiple particles provide redundancy and that having only one particle may pose risk. However Connell *et al.* do indeed clearly contemplate the use of single particles in teaching that preferably five or

fewer particles be used (*paragraph 0031*), where having a single particle per site is clearly exemplified by figure 6(c). Just because Connell *et al.* recognize that there may be a particular risk in using single particles per site does not negate the teaching that a single particle per site may be used.

Applicants argue that Connell *et al.* demonstrates that the produced particles are actually gold-coated polymeric spheres, where the vast majority of dimples contain only one particle. The above rejection has been corrected in this regard. It is also noted that the teachings of Connell *et al.* as a whole suggest that the conductive particles may be any conductive particle, whether gold-plated polymeric spheres (*which are considered to be metallic conductive particles*) or nickel/nickel metal coated particles.

Applicants argue that the disclosure of Connell *et al.* is insufficient to teach how to obtain a plurality of dimples filled with conductive particles and how the filled particles are all transferred to the adhesive layer. However Connell *et al.* clearly illustrates complete transfer of the adhesive particles in figures 1a, 1b, 3a and 3b. See MPEP 2121. Applicants' position is considered such that the teachings of Connell *et al.* do not allow one of ordinary skill in the art to achieve the invention as illustrated, which is evidenced by the affidavit filed July 14, 2009. However applicants' affidavit has not been found to be persuasive in negating the teachings of Connell *et al.* It is noted that Connell *et al.* contemplates a number of different adhesive compositions. One of ordinary skill in the art at the time of the invention would have clearly sought the adhesive composition that provides for the most successful transfer of the conductive particles. Further applicants have only provided evidence with respect to a single adhesive composition used in a single transfer attempt. Additionally applicants have selected an adhesive

composition other than the one relied upon in the above rejection, where while applicants have selected the adhesive of Pujol *et al.* the examiner has relied upon Kropp *et al.* It is the examiner's position that one of ordinary skill at the time of the invention, with the teachings of Connell *et al.*, would have been able to make any necessary adjustments to achieve complete or near complete transfer of the conductive particles. In order to achieve the desired transfer of the conductive particles, one of ordinary skill would have been capable of adjusting the depth of the dimple tool, the tackiness of the adhesive, the peel angle and rate, etc...

For these reasons and the reasons above the anisotropic conductive adhesive of as claimed by applicants' is not considered patentably distinguishable from the anisotropic adhesive sheet of Connell *et al.* and the rejections are of claims 1, 2 and 7 over Connell *et al.* in view of Kropp *et al.* are maintained.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adam C. Krupicka whose telephone number is (571)270-7086. The examiner can normally be reached on Monday - Thursday 7:30am to 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer McNeil can be reached on (571) 272-1540. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Adam C Krupicka/
Examiner, Art Unit 1794

/Jennifer McNeil/
Supervisory Patent Examiner, Art Unit 1794